


Cordless impact drill driver ABS 18 POWER COMBI M-CUBE



Illustration only



Very powerful, handy cordless impact drill driver with selectable impact drill mode and a torque of 140 Nm

- Fast adaptation to the respective application, as the function selector switch can be used to easily and quickly switch between screwing, drilling and impact drilling
- Continuous monitoring of the motor, because in the event of the motor overheating or becoming jammed or overloaded, the electronic motor protection function switches the motor off prematurely
- Efficient, low-maintenance, brushless EC motor with power reserves and a long service life, maintains a more stable speed curve even under load
- The LED light on the battery block ensures a well-lit work area
- Robust design for heavy-duty use on construction sites
- Maximum service life and low wear
- 13 mm Röhm metal drill chuck with soldered carbide clamping jaws
- Electronic signal switch


3-year Würth power tool guarantee on wear and tear damages and replacement of batteries and chargers.

The guarantee is subject to the current terms and conditions, which must be followed.


3 Years Warranty on manufacturing and material defects

Excluded are damages caused by improper use, overloading or failure to observe the operating instructions.

Art. no.	0988 046 423	5701 405 002	5701 405 000	5701 405 005
P. Qty.	1	1	1	1
Nominal voltage		18 V/DC	18 V/DC	18 V/DC
Idle speed 1st/2nd gear min./max.		0-550/0-2000 rpm	0-550/0-2000 rpm	0-550/0-2000 rpm
Max. torque hard/soft		140/60 Nm	140/60 Nm	140/60 Nm
Max. impact rate		32000 rpm	32000 rpm	32000 rpm
Min./max. drill chuck span width		1.5-13 mm	1.5-13 mm	1.5-13 mm
Weight of machine with rechargeable battery		2.3 kg	2.3 kg	2.3 kg
Included in delivery		With 2 x 5 Ah batteries; additional accessories not included	Batteries not included; additional accessories not included	With 2 x 5 Ah batteries; additional accessories not included
Number of rechargeable batteries/batteries		2 PCS	0 PCS	2 PCS
Rechargeable battery/battery capacity		5 Ah	0 Ah	5 Ah
Max. drilling diameter in steel		13 mm	13 mm	13 mm
Max. screw diameter		12 mm	12 mm	12 mm
Length		215 mm	215 mm	215 mm
Height		260 mm	260 mm	260 mm



Case in 8.4.2 format compatible with many other Würth system cases.




Function selector switch: Quickly and easily switch between screw-driving, drilling and impact drilling.



24-step adjustment option: Precise and effective working through ideal torque setting and optimum throughput.


Details/Application

Electronic motor protection function:




Continuous motor monitoring increases its service life, since the motor is shut off quickly in the event of overloading, overheating or a jam.

Brushless Motor:



Longer working life of the EC-motors, low-maintenance, as carbon brushes do not have to be changed. More efficient and powerful motor in a smaller size.

Drill chuck:



13 mm solid metal drill chuck for use with commercially available shank, such as cylinder and hexagon shank.

Contents for art. no. 5701 405 002

Designation	Art. no.	Quantity
18 V M-CUBE W-CONNECT Li-ion rechargeable battery 5 Ah	5703 550 000	2
ALG 18 V M-CUBE charger	5705 860 000	1
System case 8.4.2	5581 011 000	1
Case insert for MASTER/M-CUBE power tools	5801 842 405	1

Contents for art. no. 5701 405 005

Designation	Art. no.	Quantity
Rechargeable battery Li-ion 18 V BASIC M-CUBE	5703 450 000	2
ALG 18 V M-CUBE charger	5705 860 000	1
Case insert for MASTER/M-CUBE power tools ABS 18 POWER/COMBI	5801 842 404	1
System case 8.4.2	5581 011 000	1

Related products

	Art. no.
System case 8.4.2	5581 011 000
Case insert for MASTER/M-CUBE power tools ABS 18 POWER/COMBI	5801 842 404
Cylinder saw, HSS bimetal Longlife & Speed HSCo8 83 mm	0632 900 083
DUO-S impact drill bit with straight shank 8 mm	0637 208 012
Auger drill bit Longlife & Speed 14 mm	0650 771 439
Cetus®X-treme safety goggles	0899 102 380

Related products for

Designation	Art. no.
18 V M-CUBE W-CONNECT Li-ion rechargeable battery 5 Ah	5703 550 000