

Tool case with all common tools Assortment of 93 pieces

Compact plastic case, ideal for mobile use, robust design, professional-quality ZEBRA® tool

All-purpose assortment of 93 pieces in a sturdy plastic case

- This assortment provides a comprehensive selection of high-quality basic equipment for the workshop and especially for mobile use
- The compact, robust plastic case has an almost indestructible hard foam insert with clamping effect on both sides
- Valuable tools remain safely in place during transport
- You can see immediately if any tools are missing

All the classic tools for the all-round tradesperson

- Robust screwdrivers with slotted and PH blades, unipolar voltage tester, medium-duty cross-peen hammer, water pump pliers and combination pliers help with a wide range of everyday tasks

Matching 1/2 inch and 1/4 inch socket wrenches for almost any screw

- The 1/2 inch assortment includes 19 sockets in width across flats from 10 mm to 32 mm, 2 rigid extensions, a cardan joint and a reversible ratchet with swivel base
- The 1/4 inch assortment includes 12 sockets in width across flats from 4 mm to 14 mm, 2 rigid extensions, a cardan joint and a reversible ratchet with swivel base
- The rigid extension can be used to transfer force directly
- The reversible ratchet has an ergonomic, robust plastic handle for comfortable and safe working
- The small 5° arc swing enables quick and fatigue-free tightening or loosening of the screws
- The swivel base is used to easily switch between clockwise and anti-clockwise rotation

Various bits for special screw types

- The 24 short bits are suitable for most screw types: RW, PH, PZ, slotted and cross recessed, hexagon socket and TX
- The magnetic, 60 mm long universal holder keeps the bits securely in position.

Particularly high quality for a long service life

- With proven chrome-vanadium steel
- Surfaces are chrome-plated
- The surface provides lasting resistance against rust and ensures a far longer than average service life
- The long-term usability of the tools reduces the costs of




replacement and storage

Number of pieces in assortment/set	93 PCS
Length x width x height	423 x 360 x 86 mm

Art. no. 0965 93 180

P. Qty.: 1

Details/Application



Contents for art. no. 0965 93 180

Designation	Art. no.	Quantity
Slotted screwdriver with round shank 1.2 x 6.5 mm; Blade length 150 mm	0613 231 065	1
Screwdriver slotted slim With round shank 0.6 x 3.5 mm; Blade length 100 mm	0613 231 735	1
PH screwdriver With round shank 1; PH1; Blade length 80 mm	0613 232 01	1
PH screwdriver With round shank 2; PH2; Blade length 100 mm	0613 232 02	1
Screwdriver with 1/4 inch tip with square drive at the end of the handle Blade length 110 mm; 1/4 inch	0613 430 310	1
Connector DIN 7427 1/4 inch Length 25 mm; 1/4 inch	0614 176 680	1
1/2 inch ratchet With turntable switching	0712 012 0	1
1/4 inch ratchet With turntable switching	0712 014 0	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 10 mm	0712 131 110	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 11 mm	0712 131 111	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 12 mm	0712 131 112	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 13 mm	0712 131 113	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 14 mm	0712 131 114	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 15 mm	0712 131 115	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 16 mm	0712 131 116	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 17 mm	0712 131 117	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 18 mm	0712 131 118	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 19 mm	0712 131 119	1
1/2 inch socket wrench insert metric, hexagon, short Length 36 mm; 20 mm	0712 131 120	1
1/2 inch socket wrench insert metric, hexagon, short Length 38 mm; 21 mm	0712 131 121	1
1/2 inch socket wrench insert metric, hexagon, short Length 38 mm; 22 mm	0712 131 122	1
1/2 inch socket wrench insert metric, hexagon, short Length 38 mm; 24 mm	0712 131 124	1
1/2 inch socket wrench insert metric, hexagon, short Length 38 mm; 26 mm	0712 131 126	1
1/2 inch socket wrench insert metric, hexagon, short Length 44 mm; 27 mm	0712 131 127	1
1/2 inch socket wrench insert metric, hexagon, short Length 44 mm; 28 mm	0712 131 128	1
1/2 inch socket wrench insert metric, hexagon, short Length 44 mm; 30 mm	0712 131 130	1
1/2 inch socket wrench insert metric, hexagon, short Length 44 mm; 32 mm	0712 131 132	1
1/2 inch extension 125 mm	0712 138 105	1
1/2 inch extension 250 mm	0712 138 110	1
1/2 inch cardan joint 70 mm	0712 138 301	1

Contents for art. no. 0965 93 180

Designation	Art. no.	Quantity
1/4 inch socket wrench insert, metric short 4 mm; Length 22 mm	0713 111 104	1
1/4 inch socket wrench insert, metric short 5 mm; Length 22 mm	0713 111 105	1
1/4 inch socket wrench insert, metric short 5.5 mm; Length 22 mm	0713 111 155	1
1/4 inch socket wrench insert, metric short 6 mm; Length 22 mm	0713 111 106	1
1/4 inch socket wrench insert, metric short 7 mm; Length 22 mm	0713 111 107	1
1/4 inch socket wrench insert, metric short 8 mm; Length 22 mm	0713 111 108	1
1/4 inch socket wrench insert, metric short 9 mm; Length 22 mm	0713 111 109	1
1/4 inch socket wrench insert, metric short 10 mm; Length 22 mm	0713 111 110	1
1/4 inch socket wrench insert, metric short 11 mm; Length 22 mm	0713 111 111	1
1/4 inch socket wrench insert, metric short 12 mm; Length 22 mm	0713 111 112	1
1/4 inch socket wrench insert, metric short 13 mm; Length 22 mm	0713 111 113	1
1/4 inch socket wrench insert, metric short 14 mm; Length 22 mm	0713 111 114	1
1/4 inch extension 53 mm	0713 118 102	1
1/4 inch extension 100 mm	0713 118 104	1
1/4 inch cardan joint Tip type Outer square	0713 118 301	1
Metric combination wrench with POWERDRIV® Length 120 mm; 8 mm	0713 301 08	1
Metric combination wrench with POWERDRIV® Length 130 mm; 9 mm	0713 301 09	1
Metric combination wrench with POWERDRIV® Length 140 mm; 10 mm	0713 301 10	1
Metric combination wrench with POWERDRIV® Length 150 mm; 11 mm	0713 301 11	1
Metric combination wrench with POWERDRIV® Length 160 mm; 12 mm	0713 301 12	1
Metric combination wrench with POWERDRIV® Length 170 mm; 13 mm	0713 301 13	1
Metric combination wrench with POWERDRIV® Length 180 mm; 14 mm	0713 301 14	1
Metric combination wrench with POWERDRIV® Length 200 mm; 16 mm	0713 301 16	1
Metric combination wrench with POWERDRIV® Length 205 mm; 17 mm	0713 301 17	1
Metric combination wrench with POWERDRIV® Length 230 mm; 19 mm	0713 301 19	1
Metric combination wrench with POWERDRIV® Length 260 mm; 22 mm	0713 301 22	1
Water pump pliers DIN ISO 8976	0714 02 71	1
Combination pliers DIN ISO 5746	0715 01 575	1
Transparent single-pole voltage tester	0715 53 05	1
Machinist's hammer German design in accordance with DIN 1041 Hammer weight 400 g	0715 731 40	1
RW® bit RW10; Length 25 mm	0614 70 10	1
RW® bit RW20; Length 25 mm	0614 70 20	2
RW® bit RW25; Length 25 mm	0614 70 25	1
RW® bit RW30; Length 25 mm	0614 70 30	2
RW® bit RW40; Length 25 mm	0614 70 40	2
C 6.3 PH bit (1/4 inch) PH1; Length 25 mm	0614 176 274	1
C 6.3 PH bit (1/4 inch) PH2; Length 25 mm	0614 176 461	2
C 6.3 PH bit (1/4 inch) PH3; Length 25 mm	0614 176 648	1
C 6.3 PZ bit (1/4 inch) PZ1; Length 25 mm	0614 176 651	2
C 6.3 PZ bit (1/4 inch) PZ2; Length 25 mm	0614 176 652	2
C 6.3 PZ bit (1/4 inch) PZ3; Length 25 mm	0614 176 653	1
C 6.3 TX bit (1/4 inch) Length 25 mm; TX10; 10	0614 311 0	1
C 6.3 TX bit (1/4 inch) Length 25 mm; TX15; 15	0614 311 5	1
C 6.3 TX bit (1/4 inch) Length 25 mm; TX20; 20	0614 312 0	2
C 6.3 TX bit (1/4 inch) Length 25 mm; TX25; 25	0614 312 5	1
C 6.3 TX bit (1/4 inch) Length 25 mm; TX30; 30	0614 313 0	2
C 6.3 TX bit (1/4 inch) Length 25 mm; TX40; 40	0614 314 0	1
C 6.3 bit hexagon socket (1/4 inch) with patented POWERDRIV® drive 3 mm; Length 25 mm	0614 176 93	1
C 6.3 bit hexagon socket (1/4 inch) with patented POWERDRIV® drive 4 mm; Length 25 mm	0614 176 94	1
C 6.3 bit hexagon socket (1/4 inch) with patented POWERDRIV® drive 5 mm; Length 25 mm	0614 176 95	1
C 6.3 bit hexagon socket (1/4 inch) with patented POWERDRIV® drive 6 mm; Length 25 mm	0614 176 96	1
C 6.3 slotted bit (1/4 inch) Length 25 mm; 0.6 x 4.5 mm	0614 175 652	1
C 6.3 slotted bit (1/4 inch) Length 25 mm; 0.8 x 5.5 mm	0614 175 653	1

Contents for art. no. 0965 93 180

Designation	Art. no.	Quantity
C 6.3 slotted bit (1/4 inch) Length 25 mm; 1.2 x 6.5 mm	0614 175 655	1
Universal holder, magnetic With quick-change chuck and permanent magnet Length 60 mm; 1/4 inch	0614 176 753	1