



Hydraulic Top Links & Levelling Boxes

Suitable for New Holland & Case IH

Hydraulic Top Links & Levelling Boxes

Suitable for New Holland

View our full range at sparex.com



Boomer Series

Part No.	Description	Series
S.331005	Hydraulic Top Link (Cat.1/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 430mm.	Boomer
S.331000	Hydraulic Top Link (Cat.1/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 430mm.	Boomer
S.113937	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 16mm - Fork Hole Ø 16mm - Min. Length: 390mm, Cylinder Bore: 63mm.	Boomer



T3000 & T3 Series

Part No.	Description	Series
S.331041	Hydraulic Top Link (Cat.1/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 610mm.	T3000, T3, T3F
S.331031	Hydraulic Top Link (Cat.1/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 610mm.	T3000, T3, T3F
S.399831	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 655mm.	T3LP
S.113943	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 19mm - Fork Hole Ø 18mm - Min. Length: 370mm, Cylinder Bore: 63mm.	T3000
S.113927	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 18mm - Fork Hole Ø 26mm - Min. Length: 400mm, Cylinder Bore: 63mm.	T3F



T4000, T4, TD4000F & TD4F Series

Part No.	Description	Series
S.331041	Hydraulic Top Link (Cat.1/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 610mm.	T14, T4S & T4 Powerstar
S.331031	Hydraulic Top Link (Cat.1/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 610mm.	T14, T4S & T4 Powerstar
S.331231	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 570mm.	T4000, T4, T4000N, T4N, T4000V, T4V, TD4000F & TD4F
S.331301	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 585mm.	T4000, T4, T4000N, T4N, T4000V, T4V, TD4000F & TD4F
S.331261	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 620mm.	T4F & T4LP
S.399131	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 620mm.	T4F & T4LP
S.113920	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 22x48mm - Min. Length: 570mm, Cylinder Bore: 70mm.	T4000, T4000F, T4F & T4LP
S.113944	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 23x50mm - Min. Length: 480mm, Cylinder Bore: 70mm.	T4000F & T4F
S.113945	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 22x48mm - Min. Length: 600mm, Cylinder Bore: 70mm.	T4 HI-LO
S.113921	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 22x48mm - Min. Length: 510mm, Cylinder Bore: 70mm.	T4
S.113928	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 19mm - Fork Hole Ø 22x48mm - Min. Length: 490mm, Cylinder Bore: 70mm.	T4 Powerstar
S.113939	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 19mm - Fork Hole Ø 26x60mm - Min. Length: 510mm, Cylinder Bore: 63mm.	T4N, T4000N, T4V & T4000V
S.113923	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 26 & 27x97mm - Min. Length: 470mm, Cylinder Bore: 70mm.	TD4F & TD4000F



Hydraulic Top Links & Levelling Boxes

Suitable for New Holland

View our full range at sparex.com



TK4000 & TK4 Series

Part No.	Description	Series
S.331071	Hydraulic Top Link (Cat.1/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 550mm.	TK4000 & TK4
S.331081	Hydraulic Top Link (Cat.1/2) Ball and Ball, Cylinder Bore: 70mm, Min. Length : 550mm.	TK4000 & TK4
S.113926	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 22mm - Min. Length: 480mm, Cylinder Bore: 70mm.	TK4000 & TK4



T6000 & T6 Series

Part No.	Description	Series
S.399993	Hydraulic Top Link (Cat.28mm/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	T6000, T6 Auto, Dynamic & Electro command
S.331203	Hydraulic Top Link (Cat.28mm/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	T6000, T6 Auto, Dynamic & Electro command
S.331503	Hydraulic Top Link (Cat.28mm/2) Knuckle and Q.R CBM Hook, Cylinder Bore: 80mm, Min. Length : 640mm.	T6 Delta & Plus
S.113929	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 26mm - Fork Hole Ø 26x61mm - Min. Length: 620mm, Cylinder Bore: 90mm.	T6000, T6 Auto, Dynamic & Electro command



T5000, T5, TD5000 & TD5 Series

Part No.	Description	Series
S.331281	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 80mm, Min. Length : 620mm.	T5000 & T5 Dual Command, Mechanical, Standard & Power Shuttle
S.399131	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 620mm.	T5000 & T5 Dual Command, Mechanical, Standard & Power Shuttle
S.399943	Hydraulic Top Link (Cat.28mm/2) Knuckle and Q.R CBM Hook, Cylinder Bore: 80mm, Min. Length : 610mm.	T5 Auto, Dynamic & Electro command
S.331001	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 700mm.	TD5000, TD5
S.331011	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 70mm, Min. Length : 700mm.	TD5000, TD5
S.113922	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 26x70mm - Min. Length: 540mm, Cylinder Bore: 80mm.	T5000 & T5 Standard
S.113929	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 26mm - Fork Hole Ø 26x61mm - Min. Length: 620mm, Cylinder Bore: 90mm.	T5 Auto, Dynamic, Electro command
S.113945	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 22x48mm - Min. Length: 600mm, Cylinder Bore: 70mm.	T5 Dual Command, Mechanical & Power Shuttle



Hydraulic Top Links & Levelling Boxes

Suitable for New Holland



T7000 & T7 Series

Part No.	Description	Series
S.399731	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 690mm.	T7000, T7, T7 Auto & Power command: T7.220 to T7.270
S.399733	Hydraulic Top Link (Cat.28mm/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 690mm.	T7S, T7 Range command, T7 Auto & Power command: T7.165 to T7.210
S.113930	Hydraulic Levelling Box (Supplied with: Hoses) - Knuckle Ø 28mm - Fork Hole Ø 31x75mm - Min. Length: 890mm, Cylinder Bore: 90mm.	T7000, T7S, T7 Auto & Power command: T7.220 to T7.270
S.113925	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 25mm - Fork Hole Ø 28 & 28x95mm - Min. Length: 620mm, Cylinder Bore: 90mm.	T7 Range command, T7 Auto & Power command: T7.165 to T7.210



T8 Series

Part No.	Description	Series
S.331091	Hydraulic Top Link (Cat.36mm/4) Knuckle and Q.R CBM Hook, Cylinder Bore: 120mm, Min. Length : 760mm.	T8
S.113931	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø36mm - Fork Hole Ø36mm - Min. Length: 830mm, Cylinder Bore: 120mm.	T8

Hydraulic Top Links & Levelling Boxes

Suitable for Case IH



Quantum Series

Part No.	Description	Series
S.331231	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 570mm.	Quantum C, CL, F, N & V
S.331301	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 585mm.	Quantum C, CL, F, N & V
S.113920	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 22x48mm - Min. Length: 570mm, Cylinder Bore: 70mm.	Quantum C & CL
S.113944	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 23x50mm - Min. Length: 480mm, Cylinder Bore: 70mm.	Quantum F
S.113939	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 19mm - Fork Hole Ø 26x60mm - Min. Length: 510mm, Cylinder Bore: 63mm.	Quantum N & V



Hydraulic Top Links & Levelling Boxes

Suitable for Case IH

View our full range at sparex.com



Farmall Series

Part No.	Description	Series
S.331041	Hydraulic Top Link (Cat.1/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 610mm.	Farmall C: 55 to 75C
S.331031	Hydraulic Top Link (Cat.1/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 610mm.	Farmall C: 55 to 75C
S.331231	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 570mm.	Farmall C: 90 to 120C
S.331301	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 585mm.	Farmall C: 90 to 120C
S.331001	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 700mm.	Farmall JX & A
S.331011	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 70mm, Min. Length : 700mm.	Farmall JX & A
S.331261	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 620mm.	Farmall U: 95U, 105U & 115U
S.399131	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 620mm.	Farmall U: 95U, 105U & 115U
S.399943	Hydraulic Top Link (Cat.28mm/2) Knuckle and Q.R CBM Hook, Cylinder Bore: 80mm, Min. Length : 610mm.	Farmall U: 110U & 120U
S.113923	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 26 & 27x97mm - Min. Length: 470mm, Cylinder Bore: 70mm.	Farmall A: 85A to 115A
S.113928	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 19mm - Fork Hole Ø 22x48mm - Min. Length: 490mm, Cylinder Bore: 70mm.	Farmall C: 55 to 75C
S.113945	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 22x48mm - Min. Length: 600mm, Cylinder Bore: 70mm.	Farmall C: 90 to 120C
S.113922	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 22mm - Fork Hole Ø 26x70mm - Min. Length: 540mm, Cylinder Bore: 80mm.	Farmall U: 95U, 105U & 115U
S.113940	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 25mm - Fork Hole Ø 26x50mm - Min. Length: 620mm, Cylinder Bore: 70mm.	Farmall U Pro



Luxxum Series

Part No.	Description	Series
S.331261	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 620mm.	Luxxum
S.399131	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 620mm.	Luxxum
S.113940	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 25mm - Fork Hole Ø 26x50mm - Min. Length: 620mm, Cylinder Bore: 70mm.	Luxxum



Vestrum Series

Part No.	Description	Series
S.399943	Hydraulic Top Link (Cat.28mm/2) Knuckle and Q.R CBM Hook, Cylinder Bore: 80mm, Min. Length : 610mm.	Vestrum



Hydraulic Top Links & Levelling Boxes

Suitable for Case IH

View our full range at sparex.com



Maxxum Series

Part No.	Description	Series
S.399993	Hydraulic Top Link (Cat.28mm/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	Maxxum
S.331203	Hydraulic Top Link (Cat.28mm/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	Maxxum
S.113929	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 26mm - Fork Hole Ø 26x61mm - Min. Length: 620mm, Cylinder Bore: 90mm.	Maxxum



Optum Series

Part No.	Description	Series
S.399731	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 690mm.	Optum



Puma Series

Part No.	Description	Series
S.399993	Hydraulic Top Link (Cat.28mm/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	Puma: 115 to 175
S.331203	Hydraulic Top Link (Cat.28mm/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	Puma: 115 to 175
S.399731	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 690mm.	Puma: 180 to 260
S.113925	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 25mm - Fork Hole Ø 28 & 28x95mm - Min. Length: 620mm, Cylinder Bore: 90mm.	Puma: 115 to 175
S.113930	Hydraulic Levelling Box (Supplied with: Hoses) - Knuckle Ø 28mm - Fork Hole Ø 31x75mm - Min. Length: 890mm, Cylinder Bore: 90mm.	Puma: 180 to 260



Magnum Series

Part No.	Description	Series
S.331091	Hydraulic Top Link (Cat.36mm/4) Knuckle and Q.R CBM Hook, Cylinder Bore: 120mm, Min. Length : 760mm.	Magnum
S.113930	Hydraulic Levelling Box (Supplied with: Hoses) - Knuckle Ø 28mm - Fork Hole Ø 31x75mm - Min. Length: 890mm, Cylinder Bore: 90mm.	Magnum: 225, 250, 280 & 310
S.113931	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø36mm - Fork Hole Ø36mm - Min. Length: 830mm, Cylinder Bore: 120mm.	Magnum: 235 to 400



Hydraulic Levelling Boxes

Dimension Table



Hydraulic Levelling Boxes

Part No.	End Fittings A	End Fittings B	Min. Length	Width Int.
S.113940	Ball Ø 25mm	Fork Hole Ø 26x50mm	620	28
S.113937	Fork Hole Ø 16mm	Fork Hole Ø 16mm	390	35 Top & 22 Bottom
S.113927	Fork Hole Ø 18mm	Fork Hole Ø 26mm	400	40 Top & 26 Bottom
S.113943	Fork Hole Ø 19mm	Fork Hole Ø 18mm	370	35 Top & 23 Bottom
S.113928	Fork Hole Ø 19mm	Fork Hole Ø 22x48mm	490	40 Top & 28 Bottom
S.113939	Fork Hole Ø 19mm	Fork Hole Ø 26x60mm	510	25 Top & 28 Bottom
S.113926	Fork Hole Ø 22mm	Fork Hole Ø 22mm	480	37 Top & 28 Bottom
S.113921	Fork Hole Ø 22mm	Fork Hole Ø 22x48mm	510	37 Top & 28 Bottom
S.113920	Fork Hole Ø 22mm	Fork Hole Ø 22x48mm	570	37 Top & 28 Bottom
S.113945	Fork Hole Ø 22mm	Fork Hole Ø 22x48mm	600	37 Top & 28 Bottom
S.113944	Fork Hole Ø 22mm	Fork Hole Ø 23x50mm	480	37 Top & 28 Bottom
S.113923	Fork Hole Ø 22mm	Fork Hole Ø 26 & 27x97mm	470	37 Top & 32 Bottom
S.113922	Fork Hole Ø 22mm	Fork Hole Ø 26x70mm	540	37 Top & 33 Bottom
S.113925	Fork Hole Ø 25mm	Fork Hole Ø 28 & 28x95mm	620	40 Top & 40 Bottom
S.113929	Fork Hole Ø 26mm	Fork Hole Ø 26x61mm	620	45 Top & 33 Bottom
S.113931	Fork Hole Ø 36mm	Fork Hole Ø 36mm	830	75 Top & 75 Bottom
S.113930	Knuckle Ø 28mm	Fork Hole Ø 31x75mm	890	38

