



Hydraulic Top Links & Levelling Boxes

Suitable for Massey Ferguson, Fendt & Valtra

Hydraulic Top Links & Levelling Boxes

Suitable for Massey Ferguson

View our full range at sparex.com



3600, 3700 & 3 Series

Part No.	Description	Series
S.331251	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 500mm.	3600, 3700 & 3
S.399791	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 500mm.	3600, 3700 & 3
S.153736	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 25mm - Fork Hole Ø 26mm - Min. Length: 440mm, Cylinder Bore: 63mm.	3600 & 3700



4700 Series

Part No.	Description	Series
S.331261	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 620mm.	4700
S.399131	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 620mm.	4700



5400, 5600, 5700 & 5S Series

Part No.	Description	Series
S.331281	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 80mm, Min. Length : 620mm.	5400, 5600, 5700
S.399131	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 620mm.	5400, 5600, 5700
S.399812	Hydraulic Top Link (Cat.2/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 80mm, Min. Length : 610mm.	5700 S Dyna 4 & 6
S.144047	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 620mm.	5S Dyna 4 & 6
S.163765	Hydraulic Levelling Box (Supplied with: Hoses) - Ball-Angled Ø 22mm - Fork Hole Ø 23x50mm - Min. Length: 620mm, Cylinder Bore: 80mm.	5400
S.163763	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 22mm - Fork Hole Ø 29x60mm - Min. Length: 660mm, Cylinder Bore: 80mm.	5600 & 5700
S.163764	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 25mm - Fork Hole Ø 29x60mm - Min. Length: 650mm, Cylinder Bore: 80mm.	5600
S.166475	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 25mm - Fork Hole Ø 29x60mm - Min. Length: 670mm, Cylinder Bore: 80mm.	5S Dyna 4 & 6



Hydraulic Top Links & Levelling Boxes

Suitable for Massey Ferguson

View our full range at sparex.com



6400, 6600, 6700 & 6S Series

Part No.	Description	Series
S.399992	Hydraulic Top Link (Cat.2/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	6400, 6600 Dyna 4 & 6, 6700 S Dyna 4 & 6, 6S Dyna 6
S.331202	Hydraulic Top Link (Cat.2/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	6400, 6600 Dyna 4 & 6, 6700 S Dyna 4 & 6, 6S Dyna 6
S.399991	Hydraulic Top Link (Cat.3/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	6600 Dyna VT, 6700 S Dyna VT & 6S Dyna VT
S.331201	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	6600 Dyna VT, 6700 S Dyna VT & 6S Dyna VT
S.153735	Hydraulic Levelling Box (Supplied with: Hoses) - Ball-Angled Ø 22mm - Fork Hole Ø 29x60mm - Min. Length: 640mm, Cylinder Bore: 80mm.	6400: 6445 to 6480
S.153739	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 28mm - Fork Hole Ø 29x60mm - Min. Length: 810mm, Cylinder Bore: 90mm.	6400: 6485 to 6499 & 6700 S Dyna VT
S.163765	Hydraulic Levelling Box (Supplied with: Hoses) - Ball-Angled Ø 22mm - Fork Hole Ø 23x50mm - Min. Length: 620mm, Cylinder Bore: 80mm.	6600 Dyna 4, 6700 S Dyna 4 & 6
S.153737	Hydraulic Levelling Box (Supplied with: Hoses) - Ball-Angled Ø 22mm - Fork Hole Ø 29x60mm - Min. Length: 640mm, Cylinder Bore: 80mm.	6600 Dyna 6
S.153738	Hydraulic Levelling Box (Supplied with: Hoses) - Knuckle Ø 25.5mm - Fork Hole Ø 29x60mm - Min. Length: 680mm, Cylinder Bore: 90mm.	6600 Dyna VT



7400, 7600, 7700 & 7S Series

Part No.	Description	Series
S.399991	Hydraulic Top Link (Cat.3/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	7400, 7600: Dyna VT & 7619 to 7626 Dyna 6, 7700: Dyna VT & 7719 to 7726 Dyna 6 & VT, 7S Dyna VT
S.331201	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	7400, 7600: Dyna VT & 7619 to 7626 Dyna 6, 7700: Dyna VT & 7719 to 7726 Dyna 6 & VT, 7S Dyna VT
S.399992	Hydraulic Top Link (Cat.2/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	7600: 7614 to 7618 Dyna 4 & 6, 7700: 7714 to 7718 Dyna 4 & 6, 7S Dyna 6
S.331202	Hydraulic Top Link (Cat.2/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	7600: 7614 to 7618 Dyna 4 & 6, 7700: 7714 to 7718 Dyna 4 & 6, 7S Dyna 6
S.153738	Hydraulic Levelling Box (Supplied with: Hoses) - Knuckle Ø 25.5mm - Fork Hole Ø 29x60mm - Min. Length: 680mm, Cylinder Bore: 90mm.	7400, 7600 Dyna VT
S.163765	Hydraulic Levelling Box (Supplied with: Hoses) - Ball-Angled Ø 22mm - Fork Hole Ø 23x50mm - Min. Length: 620mm, Cylinder Bore: 80mm.	7600 Dyna 4 & 6, 7700 Dyna 4 & 6
S.153739	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 28mm - Fork Hole Ø 29x60mm - Min. Length: 810mm, Cylinder Bore: 90mm.	7700 Dyna VT



8400, 8600, 8700 & 8S Series

Part No.	Description	Series
S.119712	Hydraulic Top Link (Cat.3/3) Knuckle and Ball, Cylinder Bore: 120mm, Min. Length : 760mm.	8400, 8600 & 8700
S.119722	Hydraulic Top Link (Cat.3/4) Knuckle and Q.R CBM Hook, Cylinder Bore: 120mm, Min. Length : 760mm.	8400, 8600 & 8700
S.331521	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 105mm, Min. Length : 680mm.	8S Dyna 7, E-Power & VT
S.166032	Hydraulic Levelling Box (Supplied with: Hoses) - Knuckle Ø 28mm - Fork Hole Ø 29x60mm - Min. Length: 800mm, Cylinder Bore: 90mm.	8S Dyna 7 & E-Power
S.170583	Hydraulic Levelling Box (Supplied with: -) - Knuckle Ø 32mm - Fork Hole Ø 32x77mm - Min. Length: 800mm, Cylinder Bore: 105mm.	8S Dyna VT



Hydraulic Top Links & Levelling Boxes

Suitable for Fendt

View our full range at sparex.com



200 Vario Series

Part No.	Description	Series
S.331251	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 500mm.	200 V & F Vario
S.399791	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 500mm.	200 V & F Vario
S.331231	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 570mm.	200 Vario & 200 P Vario
S.331301	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 585mm.	200 Vario & 200 P Vario
S.113936	Hydraulic Levelling Box (Supplied with: Hoses) - Fork Hole Ø 19mm - Fork Hole Ø 28 & 29x90mm - Min. Length: 545mm, Cylinder Bore: 70mm.	200 P Vario
S.113950	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 22mm - Fork Hole Ø 28 & 28x90mm - Min. Length: 680mm, Cylinder Bore: 70mm.	200 Vario



300 Farmer & Vario Series

Part No.	Description	Series
S.331281	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 80mm, Min. Length : 620mm.	300 Farmer & Vario
S.399131	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 620mm.	300 Farmer & Vario
S.153740	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 22mm - Fork Hole Ø 28 & 28x90mm - Min. Length: 690mm, Cylinder Bore: 80mm.	300 Vario
S.113941	Hydraulic Levelling Box (Supplied with: Hoses) - Plate Ø 25mm - Fork Hole Ø 22mm - Min. Length: 625mm, Cylinder Bore: 80mm.	300 Farmer



500 Vario Series

Part No.	Description	Series
S.399991	Hydraulic Top Link (Cat.3/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	500 Vario
S.331201	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	500 Vario
S.153741	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 28mm - Fork Hole Ø 28mm - Min. Length: 680mm, Cylinder Bore: 80mm.	500 Vario



700 Vario Series

Part No.	Description	Series
S.399731	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 690mm.	700 Vario
S.153742	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 28mm - Fork Hole Ø 32mm - Min. Length: 710mm, Cylinder Bore: 90mm.	700 Vario



800 Vario Series

Part No.	Description	Series
S.119715	Hydraulic Top Link (Cat.40mm/3) Knuckle and Ball, Cylinder Bore: 120mm, Min. Length : 760mm.	800 Vario
S.119725	Hydraulic Top Link (Cat.40mm/4) Knuckle and Q.R CBM Hook, Cylinder Bore: 120mm, Min. Length : 760mm.	800 Vario



Hydraulic Top Links & Levelling Boxes

Suitable for Fendt



900 Series

Part No.	Description	Series
S.119715	Hydraulic Top Link (Cat.40mm/3) Knuckle and Ball, Cylinder Bore: 120mm, Min. Length : 760mm.	900 Vario
S.119725	Hydraulic Top Link (Cat.40mm/4) Knuckle and Q.R CBM Hook, Cylinder Bore: 120mm, Min. Length : 760mm.	900 Vario



1000 Vario Series

Part No.	Description	Series
S.119715	Hydraulic Top Link (Cat.40mm/3) Knuckle and Ball, Cylinder Bore: 120mm, Min. Length : 760mm.	1000 Vario
S.119725	Hydraulic Top Link (Cat.40mm/4) Knuckle and Q.R CBM Hook, Cylinder Bore: 120mm, Min. Length : 760mm.	1000 Vario



Hydraulic Top Links & Levelling Boxes

Suitable for Valtra



F Series

Part No.	Description	Series
S.331251	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 500mm.	F
S.399791	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 63mm, Min. Length : 500mm.	F



A Series

Part No.	Description	Series
S.331261	Hydraulic Top Link (Cat.2/2) Ball and Ball, Cylinder Bore: 63mm, Min. Length : 620mm.	A
S.399131	Hydraulic Top Link (Cat.2/2) Ball and Q.R CBM Hook, Cylinder Bore: 70mm, Min. Length : 620mm.	A



G Series

Part No.	Description	Series
S.144047	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 620mm.	G



Hydraulic Top Links & Levelling Boxes

Suitable for Valtra

View our full range at sparex.com



N Series

Part No.	Description	Series
S.399992	Hydraulic Top Link (Cat.2/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	N1*1, N1*2 & N1*3
S.331202	Hydraulic Top Link (Cat.2/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	N1*1, N1*2 & N1*3
S.399991	Hydraulic Top Link (Cat.3/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	N1*4 & N1*5
S.331201	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	N1*4 & N1*5
S.155388	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 40mm - Fork Hole Ø 28mm - Min. Length: 540mm, Cylinder Bore: 70mm.	N



T Series

Part No.	Description	Series
S.399992	Hydraulic Top Link (Cat.2/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	T**1, T**2 & T**3
S.331202	Hydraulic Top Link (Cat.2/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	T**1, T**2 & T**3
S.399991	Hydraulic Top Link (Cat.3/3) Knuckle and Ball, Cylinder Bore: 90mm, Min. Length : 640mm.	T**4 & T**5
S.331201	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 90mm, Min. Length : 650mm.	T**4 & T**5
S.155388	Hydraulic Levelling Box (Supplied with: Hoses) - Ball Ø 40mm - Fork Hole Ø 28mm - Min. Length: 540mm, Cylinder Bore: 70mm.	T**1, T**2 & T**3



Q Series

Part No.	Description	Series
S.331521	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 105mm, Min. Length : 680mm.	Q



S Series

Part No.	Description	Series
S.331521	Hydraulic Top Link (Cat.3/3) Knuckle and Q.R CBM Hook, Cylinder Bore: 105mm, Min. Length : 680mm.	S



Hydraulic Levelling Boxes

Dimension Table



Hydraulic Levelling Boxes

Part No.	End Fittings A	End Fittings B	Min. Length	Width Int.
S.153740	Ball Ø 22mm	Fork Hole Ø 28 & 28x90mm	690	32
S.113950	Ball Ø 22mm	Fork Hole Ø 28 & 28x90mm	680	28
S.163763	Ball Ø 22mm	Fork Hole Ø 29x60mm	660	32
S.163764	Ball Ø 25mm	Fork Hole Ø 29x60mm	650	32
S.166475	Ball Ø 25mm	Fork Hole Ø 29x60mm	670	38
S.153741	Ball Ø 28mm	Fork Hole Ø 28mm	680	61
S.153742	Ball Ø 28mm	Fork Hole Ø 32mm	710	37
S.153739	Ball Ø 28mm	Fork Hole Ø 29x60mm	810	38
S.155388	Ball Ø 40mm	Fork Hole Ø 28mm	540	32
S.163765	Ball-Angled Ø 22mm	Fork Hole Ø 23x50mm	620	33
S.153735	Ball-Angled Ø 22mm	Fork Hole Ø 29x60mm	640	32
S.153737	Ball-Angled Ø 22mm	Fork Hole Ø 29x60mm	640	38
S.113936	Fork Hole Ø 19mm	Fork Hole Ø 28 & 29x90mm	545	35 Top & 27 Bottom
S.153736	Fork Hole Ø 25mm	Fork Hole Ø 26mm	440	45 Top & 32 Bottom
S.153738	Knuckle Ø 25.5mm	Fork Hole Ø 29x60mm	680	38
S.166032	Knuckle Ø 28mm	Fork Hole Ø 29x60mm	800	38
S.170583	Knuckle Ø 32mm	Fork Hole Ø 32x77mm	800	27
S.113941	Plate Ø 25mm	Fork Hole Ø 22mm	625	60

